

Left-Side Cycle Track with One Motor Vehicle Travel Lane and Turn Lanes (Segments 2 to 5)


Outcomes Addressed by this Option

- | | |
|---------------------------------------------------------|--------------------------------------|
| 1 Pedestrian crossing opportunities | 6 Bicycle passing opportunities |
| 2 Mitigate conflicts | 7 Manage bus/bike conflict |
| 3 Reduce motor vehicle speeds | 8 Reduce crashes |
| 4 Improve visibility of pedestrians | 9 Transitions for bikes making turns |
| 5 Reduce risk of cyclists being struck by vehicle doors | 10 Access for lift vans |


- Supports Outcome
- Somewhat Supports Outcome
- Does Not Support Outcome

FACILITY KEY


- Left-Side Cycle Track with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Bike Lane with Two Motor Vehicle Travel Lanes and Spot Improvements



Signal Progression



New Traffic Signal




Bike Transition




Bike Box



Accessible Curb Ramp
(locations to be determined)



Turn Box




Curb Extensions



Rectangular Rapid Flash Beacon*

*Subject to warrant

ROADWAY CROSS SECTION



OPTION 2A Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes (Segments 2 to 5)


Outcomes Addressed by this Option

- | | |
|---------------------------------------------------------|--------------------------------------|
| 1 Pedestrian crossing opportunities | 6 Bicycle passing opportunities |
| 2 Mitigate conflicts | 7 Manage bus/bike conflict |
| 3 Reduce motor vehicle speeds | 8 Reduce crashes |
| 4 Improve visibility of pedestrians | 9 Transitions for bikes making turns |
| 5 Reduce risk of cyclists being struck by vehicle doors | 10 Access for lift vans |


- Supports Outcome
- Somewhat Supports Outcome
- Does Not Support Outcome

FACILITY KEY


- Left-Side Cycle Track with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Bike Lane with Two Motor Vehicle Travel Lanes and Spot Improvements



Signal Progression




New Traffic Signal



Bike Transition



Bike Box



Accessible Curb Ramp
(locations to be determined)




Curb Extensions



Rectangular Rapid Flash Beacon*


*Subject to warrant

ROADWAY CROSS SECTION



Narrow travel lanes-widen bike lane

Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes (Segments 2 & 5 only)




Outcomes Addressed by this Option

- | | |
|---------------------------------------------------------|--------------------------------------|
| 1 Pedestrian crossing opportunities | 6 Bicycle passing opportunities |
| 2 Mitigate conflicts | 7 Manage bus/bike conflict |
| 3 Reduce motor vehicle speeds | 8 Reduce crashes |
| 4 Improve visibility of pedestrians | 9 Transitions for bikes making turns |
| 5 Reduce risk of cyclists being struck by vehicle doors | 10 Access for lift vans |


- Supports Outcome
- Somewhat Supports Outcome
- Does Not Support Outcome

FACILITY KEY


- Left-Side Cycle Track with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Bike Lane with Two Motor Vehicle Travel Lanes and Spot Improvements



Signal Progression




New Traffic Signal




Bike Transition



Bike Box



Accessible Curb Ramp
(locations to be determined)




Curb Extensions



Rectangular Rapid Flash Beacon*

*Subject to warrant

ROADWAY CROSS SECTION*



*Existing cross-section retained in Segments 3 and 4


Outcomes Addressed by this Option

- | | |
|---------------------------------------------------------|--------------------------------------|
| 1 Pedestrian crossing opportunities | 6 Bicycle passing opportunities |
| 2 Mitigate conflicts | 7 Manage bus/bike conflict |
| 3 Reduce motor vehicle speeds | 8 Reduce crashes |
| 4 Improve visibility of pedestrians | 9 Transitions for bikes making turns |
| 5 Reduce risk of cyclists being struck by vehicle doors | 10 Access for lift vans |


- Supports Outcome
■ Somewhat Supports Outcome
■ Does Not Support Outcome

FACILITY KEY


- Left-Side Cycle Track with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Buffered Bike Lane with One Motor Vehicle Travel Lane and Turn Lanes
- Right-Side Bike Lane with Two Motor Vehicle Travel Lanes and Spot Improvements



Signal
Progression




New Traffic
Signal




Bike
Transition



Bike Box



Accessible
Curb Ramp
(locations to be
determined)



Curb
Extensions



Rectangular
Rapid Flash
Beacon*

*Subject to warrant

ROADWAY CROSS SECTION

